U.G. 5th Semester Examination 2021

MATHEMATICS (Honours)

Paper: DC-12

[Numerical Methods & C Programming Language] (CBCS)

Full Marks: 32 Time: 2 Hours

The figures in the margin indicate full marks.

Notations and symbols have their usual meanings.

Group - A

(4 Marks)

Answer any four questions :

 $4 \times 1 = 4$

- (a) Find the number of significant figures in the approximate number 0.4785, given its relative error as 0.2×10⁻².
- (b) In what kind of interpolation Lagrange's method is suitable?
- (c) In case of multiple root α of f(x) = 0, can we obtain it using Newton-Raphson method? Justify your answer.
- (d) What is the effect of round-off error in Gauss Elimination method?
- (e) Functions in C programming is classified in two categories. Write their names.
- (f) What is an entry controlled loop in C programming?
- (g) Give an example of rule of defining constants in C programming.

Group - B

(10 Marks)

Answer	any bu	questions
--------	--------	-----------

 $2 \times 5 = 10$

2

1. (a) Compute f'(1.5) for the function y = f(x), given in the following table:

x : 1 2 3 4 5 6

f(x): 1 8 27 64 125 216

(b) Find y(1) by Euler's method from the given differential equation by taking

$$h = 0.2 \frac{dy}{dx} = xy, y = 1$$
, when $x = 0$.

3. Solve the following system

$$3x_1 + 2x_2 - 4x_3 = 12$$

 $-x_1 + 5x_2 + 2x_3 = 1$
 $2x_1 - 3x_2 + 4x_3 = -3$

by matrix factorization method.

5

5

4. Use Lagrange's interpolation formula to find f(10) from the given tabular values

x : 5 6 9 11

f(x): 12 13 14 16

Use Stirling's Interpolation formula, to compute f(0.22) from the following table

x : 0.0 0.1 0.2 0.3 0.4

f(x): 1.0000 1.1052 1.2214 1.3498 1.4918 5

Group - C

(18 Marks)

Answer any two questions:

 $2 \times 9 = 18$

 (a) Establish Newton-cotes formula for numerical integration. Derive Simpson's one third rule from this.

- (b) Calculate the value of $\int_{12}^{1.6} \left(x + \frac{1}{x}\right) dx$ correct upto two significant figures, taking four intervals.
- 7. (a) Compute y(1.3), from $\frac{dy}{dx} = x^2 + y^2$ with y(1) = 0, using Runge-Kutta method of order 4.
 - (b) Use the power method to find the dominant eigen value and corresponding eigen vector of the matrix

$$A_{3\times3} = \begin{bmatrix} 1 & 6 & 1 \\ 1 & 2 & 0 \\ 0 & 0 & 3 \end{bmatrix}$$

- (a) Write a computer program in C to evaluate a real root of the equation f(x) = 0 by the method of bisection.
 - (b) Show that $\left(\frac{\Delta^2}{E}\right)e^x \times \frac{Ee^x}{\Delta^2e^x} = e^x$.
 - (c) Discuss about for Loop, while Loop, do-while Loop. 3
